



OVL

JOB NAME

FIXTURE TYPE

OVAL LUMINAIRE (shown with parabolic baffle)

FEATURES

- Available in 4' or 8' lengths, T5 or T8 lamp operation.
- Extruded aluminum housing with option of either cross baffle, parabolic louver or lens.
- The classic design of this fixture makes it ideal for typical industrial, commercial and educational settings.
- Inside and outside 90 degree turns are available creating smooth transitions at corners.
- Cross T's, angle connectors, end plates and center couplings are constructed of heavy gauge metal castings.
- Fixture can be surface or pendant mounted using cables or stems.

SPECIFICATIONS


- **HOUSING**
Housing is constructed of durable extruded aluminum with cast aluminum end plates.
- **ELECTRICAL**
Energy saving instant start electronic class P, HPF ballasts with less than 10% THD, complies with all Federal Energy Efficiency standards.
- **FINISH**
All parts finished with white polyester with a minimum 89% reflectivity is standard. Custom colors are also and textures available.
- **CERTIFICATION**
All units bear UL and Made in USA label.



Oval Luminaire

Ordering Matrix

Model	Lamps	Length	Lamp/Ballast	Shielding		Mounting	Voltage	Options
				Direct / Indirect				
8OVL	1 or 2	48"	T5/EB	PB	SO	AC	120	EM
9OVL	1, 2 or 3	96"	T8/EB	PS	OP	ST	277	DM
		XX		BL	AL	SM	DUAL	CO
10OVL	1, 2 or 3			AL				HO
12OVL	1, 2, 3 or 4			SO				



Example: If you wanted to specify a 9" OVL fixture with 2 lamps, 8'-0" in length, T8 electronic ballast with a semi-specular parabolic baffle for direct lighting, and open top with clear dust cover for indirect light, mounting on aircraft cable, 120 volt and emergency back-up, the model number would read as follows:

9OVL-2-96-T8/EB-PB/DC-AC-120-EM

