



# CWP

JOB NAME:

FIXTURE TYPE:

## ***CUT-OFF CAST ALUMINUM EXTERIOR WALL BRACKET***

### **FEATURES**

- Die cast aluminum housing with integral hinging feature for ease of maintenance.
- Available in high-pressure sodium 70W-150W and metal halide from 70W-175W.
- Heat and impact resistant tempered glass is standard.
- Dark sky friendly lighting aims light 15° below the horizontal.
- Hydroformed aluminum reflector improves fixture performance.
- All units are provided with ½" threaded apertures allowing for surface conduit installation and/or optional photocell.
- All units fully gasketed for weather tight construction.
- All units may mount directly over standard 4" outlet boxes or with surface conduit.

### **SPECIFICATIONS**

- **HOUSING**  
Rugged die cast aluminum housing.
- **ELECTRICAL**  
For metal halide lamping, ballast is high power factor, constant wattage auto transformer. Electrical components are mounted to cast aluminum housing for optimum heat dissipation. For high pressure sodium, ballast is normal power factor reactor type for 120V. High power factor, multi-tap, and most fixed voltages available.
- **SHIELDING**  
Clear tempered glass is standard.
- **FINISH**  
Baked on premium architectural bronze for maximum durability.
- **CERTIFICATION**  
All units bear UL and Made in U.S.A. labels. UL listed for wet and damp locations.



## **Cut-Off Cast Aluminum Exterior Wall Bracket**

Ordering Matrix

Model	Wattage	Lamp	Voltage	Finish	Options
<b>CWP</b>	70	MH	120	BZ	PC
	100	HPS	277	BK	TP
	150		480	WH	GLR
	175		MULTI	CC	QZ
<b>CWPF</b>	42	CP			EM

**MH:** Metal Halide  
**HPS:** High Pressure Sodium  
**CP:** Compact Fluorescent

**BZ:** Bronze Finish  
**BK:** Black Finish  
**WH:** White Finish  
**CC:** Custom Color

**PC:** Photocell  
**TP:** Tamperproof hardware  
**GLR:** Single Fuse  
**QZ:** Quartz Restrike  
**EM:** 90 Min. Remote Battery Back-Up  
 (FOR FLUORESCENTS ONLY)

**Example:** If you wanted to specify a 100 watt metal halide CWP fixture with tamperproof hardware and a remote back up and bronze finish, the model number would read as follows:

**CWPF – 100MH – 120 – BZ – TP – EM**

